

Enterostomy Tube Stoma Assessment Clinical Practice Guideline

Version: 2

This is a CONTROLLED document for internal use only, valid only if accessed from the Policies and Procedures site.

Enterostomy Tube Stoma Assessment Clinical Practice Guideline

Introduction

Stoma infection is a common complication of enteral feeding tube (G tube, GJ or combination G/GJ and J tube) placement. Wound infections occur on a continuum, from mild to severe, with accurate assessment, diagnosis and treatment leading to optimal outcomes. The impacts of misdiagnosis of stoma infection include:

- Unnecessary antibiotic use which increases risk of medication adverse effects and development of antibiotic resistant organisms.
- Unnecessary health care use (e.g., clinic and emergency department visits) and admissions to hospital.
- Patient pain, trauma, and risk of exposure to nosocomial infection during hospital visits.
- Unnecessary cost to families for visit, including transportation, medications, dressings, and missed work.
- Over testing (swabs).

This Clinical Practice Guideline (CPG) supports the practice of health care providers while managing stoma issues in patients with a G, GJ, combination G/GJ and/or J tube. The purpose of this CPG is to:

- Provide a standardized approach to the assessment and management of common stoma issues, including comparisons between different skin issues such as infection, hypergranulation tissue and contact dermatitis.
- Offer an interactive, visually focused tool that promotes streamlined care and ongoing clinical thinking related to
- appropriate wound swabbing, the use of antibiotic therapies and documentation and follow-up practices.
- Optimize the patient experience by being able to quickly identify stoma issues.

Definitions (additional relevant definitions may be found [here](#))

- **Stoma:** As it relates to enteral feeding tubes, a stoma is an incision or hole created by a General Surgeon, Interventional Radiologist or Gastroenterologist that leads to the stomach or jejunum.
- **Hypergranulation tissue:** Hypergranulation is an increase in the proliferation of granulation tissue such that the tissue progresses above or over the wound edge and inhibits epithelialization (the process of covering raw tissue with new skin). It presents as raised, soft/spongy, shiny, friable, red tissue.
- **Infection:** When the quantity of microorganisms in a wound become imbalanced such that the host response is overwhelmed, and wound healing becomes impaired. Transition from non-infected to infected is a gradual process determined by the quantity and virulence of microbial burden and the individual's immune response. Transient redness and irritation may be commonplace and not always a sign of infection.

©The Hospital for Sick Children ("SickKids"). All Rights Reserved. This document was developed solely for use at SickKids. SickKids accepts no responsibility for use of this material by any person or organization not associated with SickKids. A printed copy of this document may not reflect the current, electronic version on the SickKids Intranet. Use of this document in any setting must be subject to the professional judgment of the user. No part of the document should be used for publication without prior written consent of SickKids.

- **Failed first line of treatment:** Stoma infection that persists despite completing first line treatment.
- **Recurrent infection:** Multiple new stoma infections within a short period of time. At SickKids, more than 3 new infections within 1 year is considered recurrent.

Clinical Practice Recommendations

The Enterostomy Tube Stoma Assessment Pathway supports health care providers in recognizing the signs and symptoms of stoma issues and provides a tool for management.

[Click here for the
Enterostomy Tube Stoma Assessment Pathway](#)

If you require assistance with stoma assessment for SickKids patients:

Providers outside of SickKids

Contact the G Tube Resource Nurse Monday – Friday 8:30 am – 4:00 pm by phone (416-813-7177) or email (g.tubenurse@sickkids.ca). After hours, email a photo and the G Tube Resource Nurse will follow-up within 1-2 business days.

Providers at SickKids

Contact the G Tube Resource Nurse Monday – Friday 8:30 am – 4:00 pm by Vocera, phone (207177), or email (g.tubenurse@sickkids.ca). Please upload a photo of the stoma to Epic. After hours, email the G Tube Resource Nurse and they will follow-up within 1-2 business days.

For non-SickKids patients, contact your local G Tube Specialist

Other Clinical Considerations

[Antimicrobials](#)

[Infection prevention](#)

[Managing the wound biofilm – chronic wounds affecting enteral feeding tubes](#)

[Wound cultures and treatment](#)

Statement of Evidence

The authors performed an extensive literature review and benchmarked practice to other pediatric tertiary care centers. The recommendations found within this CPG and the Enteral Tube Stoma Assessment Pathway were adapted from guidelines established in the Wound Infection in Clinical Practice: Principles of Best Practice (International Wound Infection Institute, 2022) and the Best Practice Recommendations for the Prevention and Management of Wounds (Wounds Canada, 2017). Medication recommendations are based on the Anti-Infective Guidelines for Community-Acquired Infections (2019). There was no conflict of interest amongst the guideline group and reviewers.

©The Hospital for Sick Children ("SickKids"). All Rights Reserved. This document was developed solely for use at SickKids. SickKids accepts no responsibility for use of this material by any person or organization not associated with SickKids. A printed copy of this document may not reflect the current, electronic version on the SickKids Intranet. Use of this document in any setting must be subject to the professional judgment of the user. No part of the document should be used for publication without prior written consent of SickKids.

Guideline Group and Reviewers

G Tube Feeding Program Nursing Team

Alicia Hayes, Registered Nurse
Danielle Loveland, Registered Nurse
Holly Norgrove, Registered Nurse
Samantha Cicciarella, Nurse Practitioner
Silvana Oppedisano, Nurse Practitioner

Physician Leads

Dr. Sanjay Mahant, Staff Physician, Paediatric Medicine, SickKids
Dr. Tanvi Agarwal, Staff Physician, Paediatric Medicine, SickKids

Internal Reviewers (SickKids)

Dr. Anne Dipchand, Staff Physician, Cardiology
Antimicrobial Advisory Council
Dr. Anupma Wadhwa, Staff Physician, Infectious Diseases
Cathy Daniels, Nurse Practitioner, Complex Care Program
Christina Yadav, Registered Nurse, Wound Care Team
Cindy Truong, Registered Nurse, Wound Care Team
G Tube Feeding Program Management Guidance Committee
Interprofessional Practice Committee
Dr. Irene Lara-Corrales, Staff Physician, Dermatology
Joanna Soscia, Nurse Practitioner, Complex Care Program
Kathryn Timberlake, Clinical Pharmacist
Michelle Lee, RN, Dermatology
Monping Chiang, Nurse Practitioner, General Surgery
Dr. Olivia Ostrow, Staff Physician, Emergency Medicine
Sylvia Wong-Sterling, Nurse Practitioner, GIFT Program

External Reviewers

Dr. Alisha Ladha, Staff Physician, Holland Bloorview Kids Rehabilitation Hospital
Carol Bonfield, G Tube Feeding Program Family Advisor
Cindy Holland, Nurse Practitioner, Pediatric General Surgery, HSC Winnipeg Children's Hospital
Dr. Ronik Kanani, Chief of Pediatrics, North York General Hospital

Simulation

Simulation was used as a quality improvement tool to test and validate the usability and functionality of the CPG.

SickKids Simulation Educators

Alison Dodds

©The Hospital for Sick Children ("SickKids"). All Rights Reserved. This document was developed solely for use at SickKids. SickKids accepts no responsibility for use of this material by any person or organization not associated with SickKids. A printed copy of this document may not reflect the current, electronic version on the SickKids Intranet. Use of this document in any setting must be subject to the professional judgment of the user. No part of the document should be used for publication without prior written consent of SickKids.

Jennifer Allegro

Tabletop Simulation Participants

Anna Polanski, Nurse Practitioner, SickKids General Surgery
Dr. Deena Savlov, Pediatrician, Kindercare Paediatrics
Frances Mahon, Nurse Practitioner, McMaster Health Sciences
Dr. Julia Orkin, Medical Director, SickKids Complex Care Program
Julia Yole, Nurse Practitioner, McMaster Health Sciences General Surgery
Dr. Julie Johnstone, SickKids Staff Physician
Kathleen Andres, Nurse Practitioner, SickKids, General Paediatrics Inpatient
Lianne Dulsrud, Nurse Practitioner, SickKids Complex Care Program
Dr. Marie-Pier Lirette, SickKids Paediatric Emergency Medicine Fellow
Reenu Chokkhar, Registered Nurse, SickKids Connected Care
Samantha Ciciarella, Nurse Practitioner, SickKids G Tube Feeding Program
Silvana Oppedisano, Nurse Practitioner, SickKids G Tube Feeding Program

Special thanks to Luke Itani, Graphic Artist in the SickKids Creative Services Studio, for his ongoing dedication to the creation of this CPG.

Supporting Documents

[Dressing Options](#)

[Assessing exudate](#)

[Levine Wound Swab Technique](#)

[SickKids e-Formulary](#)

References

Angel, D., Lloyd, P., Carville, K. & Santamaria, N. (2011). The clinical efficacy of two semi-quantitative wound-swabbing techniques in identifying the causative organism(s) in infected cutaneous wounds. *International Wound Journal*, 8, 176-185.

Anti-infective Review Panel & MUMS Guidelines Clearinghouse. (2019). *Anti-infective guidelines for community-acquired infections*. Toronto: MUMS Guideline Clearinghouse.

Bonham, P. (2009). Swab cultures for diagnosing wound infections: A literature review and clinical guideline. *Journal of Wound, Ostomy and Continence Nursing*, 36, 389-395.

Chen AE, Carroll KC, Diener-West M, Ross T, Ordun J, Goldstein MA, Kulkarni G, Cantey JB, Siberry GK. Randomized controlled trial of cephalexin versus clindamycin for uncomplicated pediatric skin infections. *Pediatrics*. 2011 Mar;127(3):e573-80. doi: 10.1542/peds.2010-2053. Epub 2011 Feb 21. PMID: 21339275; PMCID: PMC3387913.

©The Hospital for Sick Children ("SickKids"). All Rights Reserved. This document was developed solely for use at SickKids. SickKids accepts no responsibility for use of this material by any person or organization not associated with SickKids. A printed copy of this document may not reflect the current, electronic version on the SickKids Intranet. Use of this document in any setting must be subject to the professional judgment of the user. No part of the document should be used for publication without prior written consent of SickKids.

Daniel J. Pallin, William D. Binder, Matthew B. Allen, Molly Lederman, Siddharth Parmar, Michael R. Filbin, David C. Hooper, Carlos A. Camargo, Jr. Clinical Trial: Comparative Effectiveness of Cephalexin Plus Trimethoprim-Sulfamethoxazole Versus Cephalexin Alone for Treatment of Uncomplicated Cellulitis: A Randomized Controlled Trial, *Clinical Infectious Diseases*, Volume 56, Issue 12, 15 June 2013, Pages 1754– 1762, <https://doi.org/10.1093/cid/cit122>

Dennis L. Stevens, Alan L. Bisno, Henry F. Chambers, E. Patchen Dellinger, Ellie J. C. Goldstein, Sherwood L. Gorbach, Jan V. Hirschmann, Sheldon L. Kaplan, Jose G. Montoya, James C. Wade. Practice Guidelines for the Diagnosis and Management of Skin and Soft Tissue Infections: 2014 Update by the Infectious Diseases Society of America. *C. Clinical Infectious Diseases*, Volume 59, Issue 2, 15 July 2014, Pages e10– e52, <https://doi.org/10.1093/cid/ciu296>

EPUAP, NPIAP, and PPPIA. Prevention and Treatment of Pressure Ulcers/Injuries: Clinical Practice Guideline. 2019, ed. Haesler E. EPUAP/NPIAP/PPPIA.

Gardner, S., Frantz, R., Hillis, S., Park, H. & Scherubel, M. (2007). Diagnostic validity of semi quantitative swab cultures. *Wounds*, 19, 31-38.

Haesler E et al. Establishing consensus on wound infection definitions. World Union of Wound Healing Societies 2022 Hybrid Congress. 2022. Abu Dhabi, UAE.

Hepburn MJ, Dooley DP, Skidmore PJ, Ellis MW, Starnes WF, Hasewinkle WC. Comparison of Short-Course (5 Days) and Standard (10 Days) Treatment for Uncomplicated Cellulitis. *Arch Intern Med*. 2004;164(15):1669– 1674. doi:10.1001/archinte.164.15.1669

International Wound Infection Institute (IWII). 2016. Wound Infection in Clinical Practice. Wounds International.

Johnson S. Overcoming the problem of overgranulation in wound care. *Br J Community Nurs*. 2009;14:S6–S10

Kallstrom G. *J Clin Microbiol*, 2014; 52(8): 2753-6.

Lachapelle JM. Antiseptics and Disinfectants, in Kanerva's Occupational Dermatology, John SM et al (eds). 2020, Springer. 493-506.

Lipsky BA et al. *Diabetes Metab Res Rev*, 2020; 36(S1): e3280.

Marin JR, Dean AJ, Bilker WB, Panebianco NL, Brown NJ, Alpern ER. Emergency ultrasound-assisted examination of skin and soft tissue infections in the pediatric emergency department. *Acad Emerg Med*. 2013 Jun;20(6):545-53. doi: 10.1111/acem.12148. PMID: 23758300; PMCID: PMC3682683.

McShane D, Bellet J. Treatment of hypergranulation tissue with high potency topical corticosteroids in children. *Pediatr Dermatol*. 2012;29(5):675–678.

Orsted HL, Keast DH, Forest-Lalande L, Kuhnke JL, O'Sullivan-Drombolis D, Jin S, et al. Best practice recommendations for the prevention and management of wounds. In: Foundations of Best Practice for Skin and

©The Hospital for Sick Children ("SickKids"). All Rights Reserved. This document was developed solely for use at SickKids. SickKids accepts no responsibility for use of this material by any person or organization not associated with SickKids. A printed copy of this document may not reflect the current, electronic version on the SickKids Intranet. Use of this document in any setting must be subject to the professional judgment of the user. No part of the document should be used for publication without prior written consent of SickKids.

Wound Management. A supplement of Wound Care Canada; 2017. 74 pp. Retrieved from:
www.woundscanada.ca/ docman/public/health-care-professional/bpr-workshop/165-wc-bpr-prevention-andmanagement-of-wounds/file

Wound Care Education Institute: Exudate: The Type and Amount Is Telling You Something Published on January 29, 2016 by Keisha Smith, MA, CWCMS <https://blog.wcei.net/exudate-the-type-and-amount-is-telling-you-something>

Sukumaran V and Senanayake S. Aust Prescr, 2016; 39(5): 159-63.

Swanson T et al. Wounds Middle East, 2015; 2(1): 20-5.

Attachments:

[Additional Definitions.pdf](#)

[Antimicrobials.pdf](#)

[Assessing Exudate.pdf](#)

[Biofilm.pdf](#)

[CPG FINAL \(May 2023\).pdf](#)

[Dressing Options.pdf](#)

[Infection Prevention.pdf](#)

[Levine wound swab.pdf](#)

[Wound Cultures.pdf](#)

©The Hospital for Sick Children ("SickKids"). All Rights Reserved. This document was developed solely for use at SickKids. SickKids accepts no responsibility for use of this material by any person or organization not associated with SickKids. A printed copy of this document may not reflect the current, electronic version on the SickKids Intranet. Use of this document in any setting must be subject to the professional judgment of the user. No part of the document should be used for publication without prior written consent of SickKids.